



# EV CHARGING CABLE

Produced by the renowned ITT Cannon company and engineered for extreme durability, this ergonomic and lightweight cable is designed for a minimum of 10,000 cycles. ITT's new Gen2+ contact system utilises a state of the art canted coiled spring design that delivers extended lifetime usage and minimises mechanical stress, misalignment and power loss. Capable of charging up to 22kW (3-ph/32A) as well as lesser currents such as 7.4kW (32A) and 3.6kW (16A), this cable supports charging of all type 2 vehicles on the market.



## PERFORMANCE DATA

Temperature range	-25°C to + 40°C
Connector certifications	CE, ETL, IEC 62196-1 and IEC 62196-2
Cable certifications	DIN EN 50620
Rating	4000V, 50Hz, three phase/22kW
Physical	5M available

# Key Features

- Meets Worksafe guidelines for safe electric vehicle charging
- Connector face protection – dust caps provide additional protection when connectors are not in use
- Textured plug handle – provides enhanced grip while in use
- Quality seals to prevent water ingress
- One of the most lightweight cables on the market thanks to use of high quality materials
- Dual lock system provides options of a secondary locking system for theft protection
- Minimum 10,000 mating cycles
- Very low contact resistance (20mΩ)

# Applications

- Home EV charging stations
- Public charging stations
- Roadside assistance trucks
- Fleet trucks
- EV mass transit vehicles
- Electric watercraft
- Passenger vehicles
- Electric motorcycles
- Electric agriculture vehicles



0800 99 33 44



[energysales@yhi.co.nz](mailto:energysales@yhi.co.nz)



[yhienergy.co.nz](http://yhienergy.co.nz)



YHI Energy